

OSHA30 Practice Test

Pre-Test (Answers in red and Italics)

		_ days to file a complaint with OSHA if they feel they reporting OSHA violations.	y were
a. Insped	ctors/60 days	S	
b. Worke	ers/30 days		
c. Emplo	yers/30 days	3	
d. Self-e	mployed wor	kers/60 days	

Pre 2. ____ are not covered under the OSHA.

- a. Large businesses
- b. Small businesses
- c. Private firms
- d. Self-employed workers

Pre 3. Which of the following is NOT a required component of an effective lockout/tagout (LOTO) program?

- a. Written procedures
- b. Employee training
- c. Routine inspections
- d. Random Audits

Pre 4. What is the lowest point on the construction site at which workers can be protected against falls?

- a.4 feet
- b.3 feet
- c.6 feet
- d.9 feet

Pre 5. Employees are entitled to:

- a. To take part in an OSHA workplace inspection
- b. File a complaint with their employer and ask them to fix the hazard
- c. Keep updated or know about hazardous situations at the workplace
- d. All the above

Pre 6. Which of the following is an accurate example of a risk related to excavation work?

- a. Noise Exposure
- b. Fall Hazards
- c. Electrocution
- d. Heat Stress

Pre 7. Which of these is an example of non-ionizing radiation?

- a. Radiofrequency (RF)
- b. Ultraviolet rays (UV)
- c. Microwave radiations
- d. All the above

Pre 8. What is the best time to inspect a scaffold?

- a. Just before using it
- b. Before every work shift
- c. After using it
- d. After the occurrence of an accident

Pre 9. According to OSHA, what is the maximum allowable concentration of oxygen in a confined space?

a.20.9%

b.23.5%

c.18.5%

d.28.5%

Pre 10. What should be done if a trench is deeper than 5 feet?

- a. The trench must be filled immediately
- b. Only heavy machinery should be used in the trench
- c. Employees should work at their own risk
- d. Must be sloped, shored, or protected by a trench box

Pre 11. What is the minimum top rail height for a guardrail system on a construction site?

- A. 24 inches
- B. 36 inches
- C. 42 inches
- D. 60 inches

Pre 12. When using a ladder, how far should the base of the ladder be placed from the wall for every 4 feet of working length?

- A. 1 foot
- B. 2 feet
- C. 3 feet
- D. 4 feet

Pre 13. Which of the following is a primary hazard associated with using power tools on a wet surface?

- A. Tripping
- B. Shock
- C. Overheating
- D. Rust

Pre 14. When must a Material Safety Data Sheet (MSDS) or Safety Data Sheet (SDS) be made available to employees?

- A. Once per year
- B. Before using any hazardous material
- C. During new hire orientation
- D. After an incident occurs

Pre 15. What is the purpose of a Job Hazard Analysis (JHA)?

- A. To reduce job costs
- B. To identify potential jobsite clients
- C. To outline job tasks
- D. To identify and mitigate hazards before work begins

Pre 16. Which type of fire extinguisher should be used on electrical fires?

- A. Class A
- B. Class B
- C. Class C
- D. Class D

Pre 17. How often must a competent person inspect the personal fall arrest systems?

- A. Monthly
- B. Annually
- C. Before each use
- D. Weekly

Pre 18. What is the maximum distance a worker may travel to reach a fire extinguisher on a construction site?

- A. 25 feet
- **B.** 50 feet
- C. 75 feet
- D. 100 feet

Pre 19. Which of the following would require respiratory protection under OSHA standards?

- A. High dust levels
- B. Loud noise
- C. Bright lights
- D. Wet floors

Pre 20. What is the proper way to store oxygen and acetylene cylinders on a jobsite?

- A. Together, upright, and unchained
- B. Together, lying flat
- C. Separated by at least 20 feet or a non-combustible barrier
- D. On the roof of the structure

Pre 21. When working near power lines, what is the minimum safe distance required for equipment rated under 50 kV?

- A. 2 feet
- B. 5 feet
- **C.** 10 feet
- D. 15 feet

Pre 22. What does the color yellow typically indicate in OSHA's color coding system?

- A. Fire hazards
- B. Electrical hazards
- C. Caution or physical hazards
- D. Radiation danger

Pre 23. Which of the following actions should be taken before entering a permitrequired confined space?

- A. Inform coworkers
- B. Check for sharp objects
- C. Complete a confined space entry permit
- D. Post warning signs

Pre 24. According to OSHA, who is responsible for providing personal protective equipment (PPE) to workers?

- A. The worker
- B. The site foreman
- C. The employer
- D. The safety officer

Pre 25. Which document outlines the procedures to follow in the event of a workplace emergency?

A. OSHA 300 Log

B. Emergency Action Plan (EAP)

C. SDS

D. Inspection Report